RCS Version 12. Prof Lynne Turner-Stokes The Rehabilitation Complexity Scale: extended

| PATIENT : | IDENTIFICATION Ho | ospital N | lo: | Date of score:// | | |
|------------------------|--|---|--------------------------------------|---|--|--|
| For each s | subscale, circle <u>highest level</u> applicable | | | | | |
| BASIC CA | ARE AND SUPPORT NEEDS | | | | | |
| | he approximate level of intervention required entres: score both care and risk and | | | | | |
| | CARE: Standard rehab needs | | RIS | K: Cognitive behavioural needs | | |
| C 0 | Largely independent in basic care activities | R O | | isk - Standard observations only to go out unescorted | | |
| C 1 | Requires help from 1 person for most basic care needs | R 1 | Low | risk – standard observations only requires escorting outside the unit | | |
| C 2 | Requires help from 2 people for most basic care needs | R 2 | Med | ium risk – OR managed under MHA ion above standard observations | | |
| С 3 | Requires help from ≥3 people for basic care needs | R 3 | _ | risk – above standard observations managed under MHA section | | |
| C 4 | Requires constant 1:1 supervision – for safety or behavioural management | R 4 | _ | high risk nires constant 1:1 supervision | | |
| _ | NURSING NEEDS he level of intervention required from qualifie | d or skille | ed reha | b nursing staff | | |
| N O | No needs for skilled nursing | | | Tick nursing disciplines required: | | |
| N 1 | Requires intervention from a qualified | nurse | | General registered nursing | | |
| | (e.g. for monitoring, medication, dressings | | | Rehab-trained nurses Mental Health (RMN) | | |
| N 2 | Requires intervention from trained relinursing staff and/or mental health | | tion | Palliative care nursing Specialist neuro nurse (eg MS, PD, MND) | | |
| N 3 | Requires highly specialist nursing ca | are | | State subspecialty | | |
| | (e.g. for tracheostomy, behavioural manage | ement etc | :) | Other | | |
| MEDICAL Describes t | NEEDS he approximate level of medical care environi | ment requ | uired fo | or medical/surgical management | | |
| М 0 | No active medical intervention (Could be managed by GP on basis of occase | ts) | Tick medical interventions required: | | | |
| M 1 | Basic investigation / monitoring / (Requiring non-acute hospital care, could be a community hospital with day time medical | Blood tests Imaging (CT / MRI) Other Investigation State type | | | | |
| M 2 | Specialist medical / psychiatric int – for diagnosis or management/pro (Requiring in-patient hospital care in (DGH) | Medication adjustment / monitoring Surgical procedure (eg tenotomy) State type | | | | |
| М 3 | Acutely sick or potentially unstable /psychiatric condition (Requiring 24 hour on-site acute medical / pcover) | Medical procedure (eg Botulinum toxin) State type Specialist opinion State discipline Medico-legal or capacity issues Other | | | | |

UK ROC 10.05 RCS: Page 1 of 2 Last updated April 2010

| THERAPY NEEDS Describes the approximate level of input that is required from therapy disciplines | | | | | | | | | | |
|--|--|---|-------------------------------------|--|--|--|--|--|--|--|
| | Disciplines: State number of diff | | | ively involved in treatment | | | | | | |
| TD 0 | 0 Tick therapy disciplines required: | | | | | | | | | |
| TD 1 | 1 disciplines only | Physio Psychology Orthotics O/T Counselling Prosthetics | | | | | | | | |
| TD 2 | 2-3 disciplines | SLT Dietetics | Music/art therapy Play therapy/scho | Rehab Engineer | | | | | | |
| TD 3 | 4-5 disciplines | Social work | DEA/Jobcentre Plu | us | | | | | | |
| TD 4 | ≥6 disciplines | Other | Recreational thera Other | эру | | | | | | |
| Therapy Intensity: State overall intensity of trained therapy intervention required from team as a whole | | | | | | | | | | |
| TI 0 | No therapy intervention | or <u>cramed</u> therap | y intervention required in | on team as a whole | | | | | | |
| 110 | (or<1 hour total/week - Rehab needs n | net by nursing/care staf | f or self-exercise programme) | | | | | | | |
| TI 1 | Low level – less than daily (eg as | | | | | | | | | |
| | OR Group therapy only | , , | , , | , | | | | | | |
| TI 2 | Moderate – daily intervention - | individual sessions | s with one person to trea | at for most sessions | | | | | | |
| | OR very intensive Group programme of ≥6 hours/day | | | | | | | | | |
| TI 3 | High level – Daily intervention with therapist PLUS assistant and/or additional group sessions | | | | | | | | | |
| TI 4 | Very High level – very intensive (| eg 2 trained therapists | to treat, or total 1:1 therapy | >30 hrs/week) | | | | | | |
| Total | Total T score (TD + TI) | : | | | | | | | | |
| EOUIPM | ENT NEEDS | | | | | | | | | |
| | he requirements for personal equipm | nent | | | | | | | | |
| E 0 | No needs for special equipment | | Basic Special Equipmt | Highly Specialist Equipmt | | | | | | |
| E 1 | Requires basic special equipmer | nt | Wheelchair/seating Pressure cushion | Environmental control Communication aid | | | | | | |
| E 2 | Requires highly specialist equip | m en t | Special mattress Standing frame | Customised seating Customised standing aid | | | | | | |
| | (eg electronic assistive technology customized equipment) | or highly | off-shelf orthotic | Customised orthotic Assisted Ventilation Other | | | | | | |
| | Castornized equipments | | Other | | | | | | | |

| TOTAL SCORE SUMMARY | Needs scores | Totals: | | Currently gets | | | | |
|---|-----------------|----------|-----|----------------|----|---|-------|--|
| Basic care and support (Includes risk management) | C: | Care | / 4 | C: | NA | D | Other | |
| Skilled Nursing | N: | Nursing | / 3 | N: | NA | D | Other | |
| Medical | M: | Medical: | / 3 | M: | NA | D | Other | |
| Therapy | TD: | | | TD: | NA | D | Other | |
| | TI: | Therapy: | / 8 | TI: | NA | D | Other | |
| Specialist equipment | E: | Equipm't | / 2 | E: | NA | D | Other | |
| | / 20 | Gets /20 | | | | | | |

RCS – extended: Service Summary Sheet

| ENTRE DETAILS | | |
|------------------------|--|--|
| Name of centre | | |
| No of neuro-rehab beds | | |
| Type of service | Complex specialised rehabilitation service | |
| | Specialist rehabilitation service | |
| | General rehabilitation service | |
| Sample of patients | All current in-patients | |
| | Selected sample from a total of | |

REHABILITATION COMPLEXITY SCORES for current in-patients: Date..../..../....

| C 0-4 R N 0-3 M 0-3 TD 0-4 TI E 0-2 Total 0-20 1 2 3 4 4 4 4 4 5 6 7 8 9 | No. | Patient | Care | Risk | Nursing | Medical | Therapy | | Equip. | | Comments |
|--|-----|---------|------|------|---------|---------|---------|-----|--------|-------|----------|
| 1 2 3 4 4 4 4 5 6 6 6 7 8 9 | | | | | N | M | TD | TI | E | Total | |
| 2 3 4 5 6 6 6 6 7 8 9 | | | 0-4 | 0-4 | 0-3 | 0-3 | 0-4 | 0-4 | 0-2 | 0-20 | |
| 3 4 5 6 7 8 9 9 10 9 11 11 12 13 13 14 15 16 17 18 19 19 20 21 21 22 23 24 24 25 26 27 28 29 | | | | | | | | | | | |
| 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 19 19 19 19 19 19 10 11 12 13 14 15 16 17 18 19 19 19 19 10 <td></td> | | | | | | | | | | | |
| 5 6 7 8 9 9 10 11 11 12 13 14 15 16 17 18 19 19 20 21 22 23 24 25 26 27 28 29 | 3 | | | | | | | | | | |
| 6 7 8 9 10 11 11 12 13 14 15 16 17 18 19 19 20 21 21 22 23 24 25 26 27 28 29 10 | 4 | | | | | | | | | | |
| 7 8 9 10 11 11 12 13 13 14 15 16 17 18 19 19 20 21 21 22 23 24 25 26 27 28 29 10 | 5 | | | | | | | | | | |
| 8 9 10 10 11 11 12 13 13 14 15 16 17 18 19 10 20 10 21 10 22 10 23 10 24 10 25 10 26 10 27 10 28 10 29 10 | 6 | | | | | | | | | | |
| 9 | 7 | | | | | | | | | | |
| 10 11 11 12 13 14 15 16 17 18 19 19 20 21 21 22 23 24 25 26 27 28 29 10 | 8 | | | | | | | | | | |
| 11 12 13 14 15 16 17 18 19 19 20 21 21 22 23 24 25 26 27 28 29 10 | 9 | | | | | | | | | | |
| 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 | 10 | | | | | | | | | | |
| 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 29 | 11 | | | | | | | | | | |
| 14 15 16 17 18 19 20 21 21 22 23 24 25 26 27 28 29 29 | 12 | | | | | | | | | | |
| 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 29 | 13 | | | | | | | | | | |
| 16 17 18 19 20 21 21 22 23 24 25 26 27 28 29 29 | 14 | | | | | | | | | | |
| 17 18 19 19 20 19 21 19 22 19 23 19 24 19 25 19 26 19 28 19 | 15 | | | | | | | | | | |
| 18 19 20 21 21 22 23 24 25 26 27 28 29 29 | 16 | | | | | | | | | | |
| 19 0 | 17 | | | | | | | | | | |
| 20 21 22 23 24 25 26 27 28 29 | 18 | | | | | | | | | | |
| 20 21 21 22 22 23 24 25 26 27 28 29 29 | 19 | | | | | | | | | | |
| 21 22 23 3 24 3 25 3 26 3 27 4 28 4 29 4 | | | | | | | | | | | |
| 23 24 24 25 26 27 28 29 | 21 | | | | | | | | | | |
| 23 24 24 25 26 27 28 29 | 22 | | | | | | | | | | |
| 25 26 27 28 29 | | | | | | | | | | | |
| 26 27 28 29 | 24 | | | | | | | | | | |
| 26 27 28 29 | | | | | | | | | | | |
| 27 28 29 3 | | | | | | | | | | | |
| 28 29 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | |
| 29 | | | | | | | | | | | |
| | | | | | | | | | | | |
| | 30 | | | | | | | | | | |

Photocopy if necessary to include further patients.

NB. Total RCS score = sum of C or R (use highest score) + N, M TD, TI & E

UK ROC 10.05 RCS: Summary Sheet Last updated April 2010